

JC1 Rec'd PCT/PTC 08 APR 2005

PTO/SB/08A (04-03)

Approved for use through 04/30/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	1	of	2
-------	---	----	---

Complete if Known

Application Number	unknown
Filing Date	herewith
First Named Inventor	Jouke Smink
Art Unit	unknown
Examiner Name	unknown
Attorney Docket Number	PHNL020997US

U. S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T*
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)				
<i>B</i>		EP 0 909 958 A2	04-21-1999	Takizawa, et a	all	
<i>P</i>		WO 00/31559 A1	06-02-2000	Van Den Brink	all	

**Examiner
Signature**

Date Considered

4/14/06

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

10/530826
JC12 Rec'd PCT/PTO 08 APR 2005

PTO/SB/08B (04-03)

Approved for use through 04/30/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Application Number	unknown
		Filing Date	herewith
		First Named Inventor	Jouke Smink
		Art Unit	unknown
		Examiner Name	unknown
Sheet 2 of 2	Attorney Docket Number	PHNL020997US	

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
<i>h</i>		BOTNAR, R.M., et al.; 3D Coronary Vessel Wall Imaging Utilizing a Local Inversion Technique with Spiral Image Acquisition; MRM; 2001; 46:848-854.	
<i>h</i>		BOTNAR, R.M., et al.; A Fast 3D Approach for Coronary MRA; J. Mag. Res. Imaging; 1999; 10:821-825.	
<i>h</i>		SPUENTRUP, E., et al.; Navigator-gated and real-time motion corrected free-breathing MR Imaging; Fortschr Rontgenstr; 2002; 174:562-567.	
<i>h</i>		SPUENTRUP, E., et al.; The Impact of Navigator Timing Parameters and Navigator Spatial Resolution on 3D Coronary MRA; J. MRI; 2001; 14:311-318.	
<i>h</i>		STUBER, M., et al.; Three-Dimensional High-Resolution Fast Spin-Echo Coronary MRA; MRM; 2001; 45:206-211.	
<i>h</i>		STUBER, M., et al.; Submillimeter Three-dimensional Coronary MR Angiography; Radiology; 1999; 212:579-587.	

Examiner Signature	<i>[Signature]</i>	Date Considered	4/14/06
--------------------	--------------------	-----------------	---------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.